

POR SF  
11.3.18.1 V4



NPDES #1300 Oily Discharge General  
Permit  
Discharge Monitoring Report

Submit report monthly by 1  
of following month to:  
Oregon DEQ  
2020 SW 4th Avenue, Suite 400  
Portland, Oregon 97201

Legal Name: KINDER MORGAN LIQUID TERMINALS LLC  
Common Name: LINNTON TERMINAL  
Facility Location: 11400 NW ST HELENS RD , PORTLAND

Site/File ID #: 32300

County: MULTNOMAH

Month/Year October 2007

Monitoring for Oil/Water Separator

TANK 3034

Day	Oil and Grease (mg/L)	Visible Sheen	Ethanol and/or MBTE	Flow
	Frequency varies, see permit	Daily, visual observation	Quarterly grab sample, if present on site and in bulk	Daily estimate, when discharging
Limit	10 mg/L monthly, 15 mg/L daily max.	No visible sheen at any time	No limit	No limit
1				
2				
3				
4	ND			
5				
6				
7				
8				
9		OK		126801
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
Total				126801
Max.	ND			126801
Average				4090

USEPA SF



1288177

See Reverse Side for Additional Monitoring and Signature Block

# Stormwater Monitoring

Only for facilities required to have NPDES permits for stormwater, per 40 CFR 122.26  
Monitoring required for each point identified in the Stormwater Pollution Control Plan

Day	Visible Sheen	Floating Solids (associated with industry)	Total Copper (mg/L)	Total Lead (mg/L)	Total Zinc (mg/L)	pH (S.U.)	Total Suspended Solids (mg/L)
	Daily when discharging, visual observation	Once per month when discharging	Twice per year, grab sample	Twice per year, grab sample	Twice per year, grab sample	Twice per year, grab sample	Twice per year, grab sample
Limit	No visible sheen	No visible discharge*	0.1 mg/L*	0.4 mg/L*	0.6 mg/L*	Within 6.0 to 9.0	130 mg/L*
1							
2							
3							
4						6.5	
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
Total							
Max.							
Average							

\*These are benchmarks, not effluent limits. If benchmarks are exceeded, review/possible revision of Stormwater plan is required. See permit for more details.

## Signature Requirement

I certify, under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Signature of Responsible Official:

Name and Title (Please Print):

Date of Signature:

Telephone:

*Steven C. Tinsdale*  
Steven C. Tinsdale Field Scheduler  
11-15-07 703 220 1276



# CERTIFICATE OF ANALYSIS

CLIENT: Kinder-Morgan Corporation  
ATTN: Steve Tungate  
5880 NW St. Helens Rd  
Portland OR, 97110

PROJECT NAME: Linnton T-3034  
PROJECT NUMBER: NPDES 001

PHONE: (503) 220-1276  
FAX: (503) 220-1270

SUBMITTED: 10/04/07 14:25

REPORT DATE: 10/09/07 09:57 REPORT NUMBER: 7100413 PAGE: 1 OF 1

CI SAMPLE	CLIENTS ID#	DATE	TIME	MATRIX
7100413-01	T-3034 Batch 17-07	10/04/2007	0800	Water

SAMPLE/ ANALYSIS	METHOD	PARAMETER	RESULTS	UNITS	DETECTION LIMIT	TECH	DATE/TIME	NOTES
7100413-01	SAMPLE ID: T-3034 Batch 17-07							
General Bench Analysis								
O & G, TOTAL (HEM)	EPA 1664	TOTAL OIL AND GREASE	ND	mg/L	2.0	kc	10/08/2007 17:39	

## General Bench Analysis - Quality Control

Batch/Sample/Analyte	Result	Detection Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
BATCH: Batch 7J08014 - General Preparation										
QC SAMPLE: Blank (7J08014-BLK1) Prepared & Analyzed: 10/08/07										
TOTAL OIL AND GREASE	ND	2.0	mg/L							
QC SAMPLE: LCS (7J08014-BS1) Prepared & Analyzed: 10/08/07										
TOTAL OIL AND GREASE	45.0	2.0	mg/L	43.0		105	79-114			
QC SAMPLE: LCS Dup (7J08014-BSD1) Prepared & Analyzed: 10/08/07										
TOTAL OIL AND GREASE	47.4	2.0	mg/L	43.0		110	79-114	5.19	18	

port may not be reproduced except in full.

Authorized for Release By:

James Weinkauff - Laboratory Director

TANK 3034  
DISCHARGE REPORT

NPDES Permit No. 1300-J

*Kinder Morgan  
Linnton Terminal  
11400 NW St. Helens Road  
Portland, Oregon 97231*Batch No.: 17-07

Start of Discharge:

Date	Start Time	Beginning Gauge Reading Gallons	Person Starting Discharge
10/9/07	1010	128894	<i>AB</i>

End of Discharge:

Date	Ending Time	Ending Gauge Reading Gallons	Person Ending Discharge
10/10/07	0815	2093	<i>AB</i>

Total Gallons Discharged = 126,801



## NON-COMMERCIAL BILL OF LADING

- Ph: (503) 286-9464 Fax: (503) 285-7831**  
**Ph: (253) 922-8781 Fax: (253) 922-8957**  
**Ph: (707) 748-7587 Fax: (707) 748-7764**  
**Ph: (310) 833-1557 Fax: (310) 833-1585**

Project Name: Linnton  
Project Number: T-3034  
P.O. Number: 10/4/07  
Testing Priority \_\_\_\_\_ Notification Method(s) \_\_\_\_\_  
☐ Normal ☐ Telephone  
☐ Rush ☒ Email  
Due Date: 10-8-07 ☐ Mail

[illegible]

Relinquished By:	Date/Time	Received By:	Date/Time	FOR LABORATORY USE ONLY	
Joe Balcerus	10/4/07 0900	[Signature]	10/4/07 1510	Inspection Job Number: _____	PO# _____
Relinquished By:	Date/Time	Received By:	Date/Time	Laboratory Project Number: _____	Cash/check # _____
[Signature]	10-4-07 0820	[Signature]	10/4/07 1425	Due Date: _____	Amount Paid: \$ _____

# Sample Acceptance Policy

## All samples must meet the following requirements:

- **Chain of Custody:** The COC list of samples must match the number and type of sample containers received, and sample descriptions on the COC must match the sample bottles. The requested tests and where possible, specific methods are shown on the COC.
- **Appropriate Container:** The correct sample containers must be used for the requested analyses.
- **Sample Volume:** There must be sufficient sample volume for the test(s) requested.
- **Holding Time:** The holding times for the requested analyses must not be expired.

## Environmental samples must meet the following additional requirements:

- **Sample Temperature:** Samples that require refrigeration shall be considered acceptable if the temperature as measured upon receipt is either within 2° C of the required temperature or the method specified range. For samples with a specified temperature of 4° C, samples received at temperatures ranging from just above freezing to 6° C shall be acceptable.

**NOTE:** Samples that are delivered to the laboratory shortly after sampling may not meet this criterion. However, the samples shall be considered acceptable if there is evidence that the chilling process has begun such as arrival on ice, or if the samples were taken within the hour.

- **Sample Preservation:** Where possible without sacrificing the integrity of the sample, determine whether the sample bottle has been preserved correctly.

## Discrepancies:

If there is any doubt as to the suitability for testing such as the **sample does not conform to the sample description**, the sample containers are **damaged, leaking, or may be contaminated from other damaged or leaking sample containers**, or where **testing is not specified**, further instructions from the client are required. If the issue cannot be resolved and the sample does not meet sample acceptance criteria the laboratory shall either.

- Fully document any decision to proceed with the analysis and note the condition of the sample on the COC and work order, or
- Retain correspondence and/or records of conversations regarding the final disposition of rejected samples.

## Rejected Samples:

- Should the client choose to proceed with testing on questionable samples, the Work Order must be clearly marked with the nature of the problem so that the final report data may be appropriately qualified.
- Rejected samples must still be logged into LIMS to obtain a unique sample identification number to track sample disposition. However, for rejected samples, no testing is assigned. Instead, the sample status is set to "Rejected" by editing the work order status using the Update Status function of the Laboratory menu in LIMS.

Refer to the Columbia Inspection, Inc. Laboratory Policy, LP00.01, Sample Acceptance Policy and SOP15.01 Sample Receipt for complete details.

## Sample Disposal:

- Samples are disposed of after 45 days unless prior arrangements have been made with the laboratory.
- Samples that are deemed hazardous may be returned to the client for proper disposal.